

國立故宮博物院辦理故宮國寶出遊去作業須知總說明

國立故宮博物院（以下簡稱本院）為辦理「新故宮—故宮公共化帶動觀光產業發展中程計畫（107-112年）分項計畫三：博物館群國際觀光網絡系統建置計畫」子計畫2「故宮國寶出遊去」，提供民眾近距離體驗院藏文物之多元管道，以推廣文化藝術教育，爰擬具「國立故宮博物院辦理故宮國寶出遊去作業須知」，其要點如下：

- 一、本須知之訂定目的。（第一點）
- 二、文物赴地方展出之合作對象。（第二點）
- 三、展出文物品項及展場環境條件要求。（第三點至第四點）
- 四、申請期限、所需經費、實施期程等相關事項。（第五點至第八點）

國立故宮博物院辦理故宮國寶出遊去作業須知

名稱	說明
國立故宮博物院辦理故宮國寶出遊去作業須知	本須知係為執行「新故宮—故宮公共化帶動觀光產業發展中程計畫(107-112 年)分項計畫三：博物館群國際觀光網絡系統建置計畫」子計畫 2「故宮國寶出遊去」相關作業，爰明白揭示本須知名稱，以明確辦理事項。
規定	說明
一、國立故宮博物院（以下簡稱本院）為執行行政院核定「新故宮—故宮公共化帶動觀光產業發展中程計畫(107-112 年)」分項計畫三之子計畫 2「故宮國寶出遊去」，並確立相關作業原則，以推廣文化藝術教育，提供民眾近距離體驗院藏文物之多元管道，特訂定本須知。	本須知之訂定目的。
二、本院辦理「故宮國寶出遊去」之合作對象，以中央或地方政府及行政法人為限。	為確保本院文物於各地展出之安全維護等事宜，需當地警力調度等公部門資源全力配合，故以中央或地方政府及行政法人為合作對象。
三、本院「故宮國寶出遊去」展覽文物之種類及數量，由本院擇定院藏文物展件（附件一）。合作方申請合作展件，一次以不超過五件，展期最長以三個月為限。	鑒於文物之脆弱性，本院以合作展出非有機材質文物為優先考量。考量實際作業及文物狀況，合作方申請展出之文物，由本院所定之展件清單中擇定，並以不超過五件為原則，展期最長以三個月為限。
四、合作方至遲應於展覽舉辦前六個月向本院提出合作意向書（附件二）及合作計畫。	考量院藏文物提件、文物出庫點驗及檢修作業、文物包裝、運輸、保險之需求；展場安全設施條件之評估與改良；展覽空間之設計採購(含展櫃之搬遷移動)；以及上述合約簽定等工作，至遲須於展覽舉辦前六個月提出合作意向書，以利本院進行相關作業。
五、合作方應提出「展場設備報告（Facility Report）」（附件三）供本院評估；必要時，本院得進行現勘。 合作方之展館環境設備條件及安全消防設備應符合「國立故宮博物院文物展覽保存維護要點」等相關規範。	合作方應提出「展場設備報告（Facility Report）」，本院將依「國立故宮博物院文物展覽保存維護要點」等相關規範，進行展館環境條件、安全消防設備及周邊環境等條件評估，以利審查。

<p>六、展覽所需費用及人力需求等合作條件，由本院與合作方議訂之。</p>	<p>考量實際執行展覽費用、人力需求等合作條件，依合作方情形而有不同，爰以議定方式，將相關事項另以契約約定。</p>
<p>七、合作方應於展覽佈置、宣傳品、印刷品、出版品、媒體網站、視聽或多媒體等載示「國立故宮博物院」院徽及全銜。 有關衍生性商品之開發及銷售等事宜，依本院文創授權相關規定辦理。</p>	<p>規範合作方應載示本院院徽及全銜範圍，並明定衍生性商品之開發及銷售等事宜，依本院授權相關規定辦理。</p>
<p>八、本須知自中華民國一百零八年六月二十五日起實施，至中華民國一百一十二年十二月三十一日止。</p>	<p>「故宮國寶出遊去」係「新故宮分項計畫三：博物館群國際觀光網絡系統建置計畫」之子計畫2，核定執行期間為民國 107-112 年，具有期程及時效性，爰以明訂。</p>

國立故宮博物院辦理故宮國寶出遊去作業須知

108 年 6 月 25 日台博器字第 1080006841 號函訂定

- 一、國立故宮博物院（以下簡稱本院）為執行行政院核定「新故宮—故宮公共化帶動觀光產業發展中程計畫(107-112 年)」分項計畫三之子計畫 2「故宮國寶出遊去」，並確立相關作業原則，以推廣文化藝術教育，提供民眾近距離體驗院藏文物之多元管道，特訂定本須知。
- 二、本院辦理「故宮國寶出遊去」之合作對象，以中央或地方政府及行政法人為限。
- 三、本院「故宮國寶出遊去」展覽文物之種類及數量，由本院擇定院藏文物展件（附件一）。合作方申請合作展件，一次以不超過五件，展期最長以三個月為限。
- 四、合作方至遲應於展覽舉辦前六個月向本院提出合作意向書（附件二）及合作計畫。
- 五、合作方應提出「展場設備報告（Facility Report）」（附件三）供本院評估；必要時，本院得進行現勘。
合作方之展館環境設備條件及安全消防設備應符合「國立故宮博物院文物展覽保存維護要點」等相關規範。
- 六、展覽所需費用及人力需求等合作條件，由本院與合作方議訂之。
- 七、合作方應於展覽佈置、宣傳品、印刷品、出版品、媒體網站、視聽或多媒體等載示「國立故宮博物院」院徽及全銜。
有關衍生性商品之開發及銷售等事宜，依本院文創授權相關規定辦理。
- 八、本須知自中華民國一百零八年六月二十五日起實施，至中華民國一百一十二年十二月三十一日止。

附件一 展件清單

項次	文物編號	品名	照片	尺寸
1	故瓷 17699	北宋 汝窯 青瓷水仙盆		高 6.1 公分 口縱 15.8 公分 口橫 23.1 公分 底縱 13 公分 底橫 19.5 公分
2	故瓷 12547	明永樂 青花穿蓮龍紋天球瓶		高 42.9 公分 口徑 9.7 公分 足徑 15.8 公分
3	故瓷 5193	明 成化 鬥彩雞缸杯		高 3.7 公分 口徑 8 公分 底徑 3.4 公分
4	故瓷 14001	清 雍正 琺瑯彩瓷時時報喜把壺		高 11.3 公分
5	故瓷 4661	清 同治 粉彩紫地花鳥蓋盒		盒高 11 通蓋高 20.3 口徑 29.2 底徑 20.5 公分
6	故玉 6182	玉人與熊		高 6.0 公分

7	故雕 273	清前一中期 雕 黃楊木搔背羅 漢		高 4.4 公分 長 4.6 公分
8	故雕 169	清前期 陳子雲 雕核桃殼花籃		縱 2.5 公分 橫 2.7 公分 高 2.6 公分
9	故雜 558	清 右旋白螺		長 18.9 公分 寬 9.4 公分
10	故雜 1044	英國 十八世紀 鐘錶化妝匣		高 7.85 公分 長 8.9 公分 寬 6.3 公分
11	故玉 2251	遼至金 玉龍紋 盤		全高 2.2 公分 口徑 26.2 公分 底徑 22.2 公分
12	中玉 633	清 黃玉髓三連 章		二方印 長 x 寬 2.6 公分 高 2.35 公分 橢圓形印 長 3.4 公分 高 2.9 公分 寬 2.3 公分
13	故玉 3620	宋至元 玉鳳柄 洗		高 5.1 公分 口徑 11.8 公分 長 16.7 公分 寬 11.8 公分

14	故玉 2075	清 白玉錦荔枝		全高 5 公分 最長 13.5 公分
15	故玉 2103	清 翠玉白菜		長 18.7 公分 厚 5.07 公分 寬 9.1 公分
16	故雜 178	清 肉形石		全高 6.6 公分 長 7.9 公分
17	故玉 3698	宋至元 玉鴨		全高 4.5 公分 縱長 8.5 公分 寬 2.8 公分

附件二 合作意向書

填表日期： 年 月 日

一、合作方			
(一)名稱	(二)地址	(三)代表人	
		姓名： 職稱：	
二、展覽			
(一)名稱	(二)舉辦時間	(三)舉辦地點	
	年 月 日至 年 月 日止		
三、申請合作展件			
(一)文物編號	(二)品名		
四、展廳及展覽環境			
(一)展廳坪數	(二)展覽環境	(三)相關附件	
坪	是否符合要求： <input type="checkbox"/> 是 <input type="checkbox"/> 否	是否已填妥展場設備報告 (Facility Report)： <input type="checkbox"/> 是 <input type="checkbox"/> 否	
五、是否已詳閱作業須知			
<input type="checkbox"/> 是 <input type="checkbox"/> 否			
六、聯絡人			
(一)姓名	(二)服務單位及職稱	(三)聯絡方式	(四)聯絡人簽名
	服務單位： 職稱：	電話： 傳真： E-mail：	
七、簽名及用印			
(一)合作方印信		(二)合作方之代表人簽名	
附件共____件： 1. 展場設備報告 (Facility Report) 2. 合作計畫 3. 其他_____			

附件三 展場設備報告 (Facility Report)

基本資料 Profile

單位名稱 Name of Institution / Venue	
聯絡人 Contact Person	
職稱 Title	
聯絡地址 Mailing Address	
電話 Telephone Number	
傳真 Fax Number	
電子郵件 E-mail Address	
網址 World Wide Web URL	
展覽名稱 Exhibition Title	
日期 Duration	
申請日期 Dates of Application	

◎注意：

- 1.本資料參考美國博物館學會之英文展場設施報告。
- 2.本報告僅供本館評估借展合作單位之硬體設施狀況與相關準備工作所使用，所有資料將由本館妥善保存，未經資料提供單位許可，禁止複製或發佈使用。

◎Notice：

- 1.The English Version of facility report is referred from American Alliance of Museums.
- 2.The information indicated in this form is critically confidential and will be used by the NPM only in evaluating facilities of potential borrowers and in preparing applications for indemnity. This form will be stored in a secure location and no copies are to be made or distributed without the express consent of the subject institution.

1. 建築平面圖、借展品清單及展櫃式樣圖 Floor Plan, Loan Object(s) List and Design(s) of Display case(s)

1.1 請提供貴單位之建築平面圖（包含坐落方位），並標示借展文物之展覽地點，文物暫存區，裝卸區域，展場出、入口，手提式滅火器與其他滅火、偵測系統所在之處。

Please attach a floor plan of the museum (including building orientation), indicating: where borrowed object(s) will be displayed and temporary stored, loading dock, entrance, exit, location of portable fire extinguishers, fire suppression and detection systems.

☐ 建築平面圖附於本文件之後 Floor plan attached

☐ 未附建築平面圖 Floor plan not attached 原因 why _____

貴單位所使用之測量單位為：

System of measurement used to report dimensions and weight capacities for your museum :

☐ 公制 International System of Unit (IS) (cm, m, km, kg, etc.)

☐ 英制 English measure (feet, inches, miles, etc.)

1.2 如果有，請提供預計借展品清單。

Please attach the list of loan object(s) if possible.

☐ 借展品清單附於本文件之後 Loan object(s) list attached

☐ 未附借展品清單 Loan object(s) list not attached

原因 why _____

1.3 如果有，請提供預計展陳借展品的展櫃式樣圖。

Please attach the design(s) of display case(s) for loan object(s) if possible.

☐ 展櫃式樣圖附於本文件之後 Display case(s) design(s) attached

☐ 未附展櫃式樣圖 Display case(s) design(s) not attached

原因 why _____

2. 一般資訊 General Information

2.1 機構類別 Type of Institution

請勾選最能描述貴單位之選項 Check the type(s) that best describe your institution :

- ☐ 博物館類 Museum
 - ☐ 綜合型 General
 - ☐ 美術館 / 藝廊 Art
 - ☐ 歷史博物館 History
 - ☐ 自然科學類 / 人類學 Natural History / Anthropology
 - ☐ 科技工藝博物館 / 科學中心 Science and Technology / Science Center
 - ☐ 兒童 / 青少年博物館 Children's / Youth
 - ☐ 水族館 Aquarium
 - ☐ 植物園 Arboretum / Botanical Garden
 - ☐ 動物園 Zoo
 - ☐ 其他 Other (specify) _____
- ☐ 學校 School
 - ☐ 附設圖書館 Library
 - ☐ 附設博物館 / 美術館 Museum or Gallery
 - ☐ 系所 Department
 - ☐ 學生社團 Student Center / Union
 - ☐ 其他 Other (specify) _____
- ☐ 文化機構類 Cultural Organization
 - ☐ 圖書館 Library
 - ☐ 非營利基金會 Non-profit Foundation
 - ☐ 文化局 / 文化中心 Civic / Exhibition Center
 - ☐ 其他 Other (specify) _____
- ☐ 其他類 Other (specify) _____

2.2 地理簡述 Geographic Profile

2.2.1 請問貴單位所在地位於地震或地質活動頻繁之地區嗎？

Is your building located in an earthquake or earth movement prone zone?

- ☐ 是 Yes ☐ 否 No

2.2.2 請問貴單位所在地鄰近河湖或被列為洪水區嗎？

Is your building located in an area designated as a flood zone or next to a body of water which can overflow its boundaries?

- ☐ 是 Yes ☐ 否 No

2.2.3 請問貴單位所在地位於易受颱風、龍捲風、颶風等天然災害之地區嗎？

Is your building located in an area subject to other natural catastrophes such as typhoons,

tornadoes, or hurricanes?

☐ 是 Yes

☐ 否 No

2.3 館員與承包廠商 Staff and Major Contractors

請提供貴單位特展相關工作人員資料，並註明僱用類別為正職、約聘僱臨時人員或委外廠商。Please provide information on key museum staff members who will work with temporary or traveling exhibitions. Under employment status, please indicate if employee is a full- or part-time staff member or is a contractor.

職位 Position	姓名 Name	職稱 Title	電話 / 傳真 TEL / FAX	電子郵件 E-mail	僱用類別 Employment Status

3. 建築物結構與維護 Building Construction, Configuration and Maintenance

3.1 整體建築 General

3.1.1 請說明貴單位建築本體或其他附屬建築物之完工日期。請以「X」號註明借展品存放與展覽所在。Please indicate the dates your building and any subsequent additions were completed. Use an "X" to indicate the areas where loan items will be stored and displayed.

	完工日期 Date of Completion	借展品存放區域 Loan Item Storage Area	借展品展示區域 Loan Item Display Area
原始建築 Original Building			
附屬建築物 1 _____ Addition 1 _____			
附屬建築物 2 _____ Addition 2 _____			
附屬建築物 3 _____ Addition 3 _____			

3.1.2 請問貴單位建築物結構體之材質？

What types of building materials were used for your building?

	灰泥 Adobe	磚造 Brick	水泥 Concrete	玻璃 Glass	安全玻璃 Safety Glass	鋼造 Steel	石材 Stone	木造 Wood	織品 / 毛毯 Fabric / Carpet	其他 (請指明) Other (specify)
外牆 Exterior Walls										
內牆 Interior Walls										
地板 Floors										
天花板 Ceilings										
結構支撐 Structure Supports										

3.1.3 請用「X」號標示最能描述貴單位建築物之防火等級，請與當地消防局聯繫確認後作答。Indicate ("X") the most appropriate description of your building and any additions. Contact your local fire department or municipal building department for assistance.

	第一類-防火 Type I – Fire Resistive	第二類-不可燃 Type II – Non-Combustible	第三類-一般 Type III – Ordinary	第四類-高密度木材 Type IV – Heavy Timber	第五類-木結構 Type V – Wood Frame
原始建築 Original Building					
附屬建築物 1 Addition 1 _____					
附屬建築物 2 Addition 2 _____					
附屬建築物 3 Addition 3 _____					

如貴單位建築屬第一類-防火建築物，請問是否有延遲火災發生之噴灑裝置？

If your original or any additions are Type I – Fire Resistive, is there a sprayed-on fire retardant?

☐ 是 Yes

☐ 否 No

3.1.4 請問貴單位是否為獨立之建築物？

Are all structures free-standing?

☐ 是 Yes

☐ 否 No

如為非獨立建築，請說明單位出入管制或監控之方式。If no, provide a physical description and the purpose of the larger structure into which it is incorporated and how museum access is restricted / monitored.

3.1.5 請問貴單位建築物最近正在進行整修嗎？

Are you undergoing renovation at this time?

☐ 是 Yes

☐ 否 No

3.1.6 請問貴單位於借展期間會進行其他整建或修繕計畫嗎？

Do you anticipate any construction or renovation projects during the proposed loan period?

☐ 是 Yes

☐ 否 No

如果是，請說明 If yes, explain :

3.2 特展空間 Temporary Exhibition Spaces

3.2.1 請問特展展覽室之平面配置為：

Indicate the layout of your temporary exhibition area(s) :

- ☐ 獨立房間 One large room
☐ 多重房間 Series of small rooms
☐ 其他 Other (specify) _____

3.2.2 請問特展展覽室所在位置是否位於貴單位之大廳、休息室、圖書館、餐廳、學習教室等公共區域？

Are the temporary exhibition spaces located in public activity areas such as lobbies, lounges, libraries, cafes, classrooms, etc?

- ☐ 是 Yes ☐ 否 No

如果是，請敘明 If yes, describe :

3.2.3 請問特展展覽室平日是否只作為展覽使用？

Are the temporary exhibition areas used for only viewing?

- ☐ 是 Yes ☐ 否 No

如果不是，請問作為何用途？ If no, what other function(s) do they serve?

3.2.4 請問特展展覽室或展品暫存室內或上方是否有排水管、消防灑水系統、飲水機等含水設備？ Are there any water fixtures or accessories such as plumbing pipes, sprinkler systems, water fountains, etc., located in or above temporary storage or exhibition areas?

- ☐ 是 Yes ☐ 否 No

如果是，請描述之 If yes, describe :

3.2.5 請問下列區域是否允許飲食？ Are eating and drinking ever permitted in：

- A. 特展展覽室 Temporary exhibition galleries ☐ 是 Yes ☐ 否 No
B. 展品暫存室 Temporary exhibition storage ☐ 是 Yes ☐ 否 No
C. 接收區 Receiving area ☐ 是 Yes ☐ 否 No

3.2.6 請問貴單位是否進行例行性老鼠、昆蟲與微生物防治之巡查作業？

Do you make routine inspections for rodent, insect and microorganism problems?

- ☐ 是 Yes ☐ 否 No

如果是，請問進行的方式與頻率 If yes, describe means and frequency：

3.2.7 請問貴單位是否進行例行性清潔及除蟲消毒作業？

Do you undertake regular cleaning and routine pest extermination procedures?

- ☐ 是 Yes ☐ 否 No

如果是，請說明方法、使用藥劑與進行頻率：

If yes, describe methods, products used and frequency：

請描述當文物發生蟲黴感染時，貴單位所會採取的步驟與時間點：

Describe what course of action you would take if and when an infestation occurs：

3.2.8 請問貴單位在特展展覽室是否有網路？

Do you have the Internet in temporary exhibition galleries?

- ☐ 是 Yes ☐ 否 No

如果有，請說明網路型式（有線或無線網路）：

If yes, describe the type of your internet (Wired or wireless)：

3.3 借展品運送與接收 Shipping and Receiving

3.3.1 請問貴單位正常接收時間？What are your normal receiving hours?

3.3.2 請問貴單位是否能於正常接收時間外，配合借展品運抵時程進行？

Can you accommodate a delivery at times other than these hours?

☐ 是 Yes ☐ 否 No

3.3.3 配合借展品，請問貴單位是否有（或能否安排）下列物品？請以「X」號標示，並提供細部規格：

Do you have or have access to the following? Please "X" all that apply and provide requested details, if they relate to the loan items in question.

- ☐ 裝運/接收門 Shipping / Receiving door ,
尺寸 Dimension：高 (H) _____ 寬 (W) _____
- ☐ 升降平台 Raised loading dock ,
自地面高度 Height from ground : _____
- ☐ 升降台 Dock leveler
- ☐ 液壓起重機 Hydraulic lifter , 載重量 Weight capacity : _____
- ☐ 吊車 Crane , 載重量 Weight capacity : _____
- ☐ 坡道 Ramp , 長度 Length : _____
- ☐ 鷹架 Scaffolding , 長度 Length : _____
- ☐ 其他 Other _____

3.4 借展品存放 Storage

3.4.1 請問貴單位存放特展借展品於安全的暫存室中嗎？

Do you have a secured storage area for temporary exhibition objects?

☐ 是 Yes ☐ 否 No

3.4.2 請問特展借展品存放的暫存室有火災偵測器與 / 或滅火系統嗎？

Do you have fire detection and /or suppression system in your temporary exhibition objects storage area?

☐ 有 Yes ☐ 無 No

3.4.3 針對小型、貴重之特展借展品，請問貴單位會提供高安全防護的暫存室嗎？

Do you have a highly secured storage area for precious small temporary exhibition objects?

☐ 是 Yes

☐ 否 No

如果是，請說明 If yes, describe :

3.4.4 請問貴單位如何存放空的運輸箱？（請用「X」號標示）

Where do you store empty crates? ("X" all appropriate)

☐ 在館內（請標示在建築平面圖上） On-premises (indicate on floor plan)

☐ 在館外 Off- premises : ☐ 租用 Rented ☐ 屬於館方 Owned

地點 address _____

如果在館內，請問該區為 If on-premises, is area :

☐ 溫度控制區 Temperature-controlled

每日 24 小時，每週 7 天運轉嗎？ Is it in operation 24 hours a day, 7days a week (24H/7D)?

☐ 是 Yes ☐ 否 No

☐ 蟲害控制區 Pest-controlled

定期巡查、清潔或消毒 Regular inspection, cleaning or pest extermination

☐ 是 Yes 頻率和方法 frequency and how _____

☐ 否 No

☐ 濕度控制區 Humidity-controlled

每日 24 小時，每週 7 天運轉嗎？ Is it in operation 24H/7D?

☐ 是 Yes ☐ 否 No

如果在館外，請問該區域為 If off-premises, is area :

☐ 溫度控制區 Temperature-controlled

每日 24 小時，每週 7 天運轉嗎？ Is it in operation 24H/7D?

☐ 是 Yes ☐ 否 No

☐ 蟲害控制區 Pest-controlled

定期巡查、清潔或消毒 Regular inspection, cleaning or pest extermination

☐ 是 Yes 頻率和方法 frequency and how _____

☐ 否 No

☐ 濕度控制區 Humidity-controlled

每日 24 小時，每週 7 天運轉嗎？ Is it in operation 24H/7D?

☐ 是 Yes ☐ 否 No

3.5 空調系統 Air Conditioning

3.5.1 請問貴單位之環境控制系統是否為每日 24 小時，每週 7 天運轉嗎（含閉館

時間)？Is your environmental control system in operation 24 hours a day, 7days a week including times when the museum is closed?

☐ 是 Yes ☐ 否 No

請問貴單位有備援的環境控制系統嗎？

Is there a back-up system for your environmental control system?

☐ 有 Yes ☐ 無 No

假如有，請問可以維持多久時間？If yes, how long can it operate?

3.5.2 請指出貴單位的環境控制系統類型與位置：

Indicate the type and location of your environmental control systems：

	特展展品暫存室 Temporary Exhibition Storage	特展展覽室 Temporary Exhibition Gallery	整體建築 Throughout Building
24 小時中央溫度控制系統 Centralized 24-hour temperature control system			
24 小時中央濕度控制系統 Centralized 24-hour humidity control system			
24 小時中央空調濾淨系統 Centralized 24-hour filtered air			
一般空調系統（窗型冷氣） Simple air conditioning （window units）			
一般加熱系統 Simple heating			

3.5.3 請描述貴單位之濕度控制設備 Describe humidity control equipment：

	類型 Type	安裝或更新年度 Year Installed or Upgraded
特展展品暫存室 In temporary exhibition storage		
特展展覽室 In temporary exhibition galleries		

3.5.4 請問貴單位之濕度控制系統有添加任何化學藥劑嗎？（例如防銹劑或水質處

理) Do you use additives (i.e. corrosion-inhibitors, water treatments) in your humidification systems?

☐ 有 Yes ☐ 無 No

如果有，請說明 If yes, explain:

3.5.5 請問貴單位是由誰負責檢測與維護環境控制系統?

Who monitors and services the environmental systems?

- ☐ 館員 Staff
☐ 維護契約人員 On maintenance contract
☐ 需要時報修 Called repair as needed

3.5.6 請問貴單位多久檢測與維護環境控制系統?

How often are the environmental systems monitored and serviced?

3.5.7 請問貴單位在以下地點所記錄之溫度與相對濕度數值範圍:

What are the recorded temperature and relative humidity ranges in your:

	特展展覽室 Temporary Exhibition Galleries		特展展品暫存室 Temporary Exhibition Storage	
	溫度 Temperature	相對濕度 %RH	溫度 Temperature	相對濕度 %RH
春夏季 In Spring / Summer				
秋冬季 In Fall / Winter				

3.5.8 請問貴單位在以下地點 24 小時內最大的溫濕度波動百分比:

What is the maximum usual variation percentage within a 24-hour period in your:

	特展展覽室 Temporary Exhibition Galleries		特展展品暫存室 Temporary Exhibition Storage	
	溫度 Temperature	相對濕度 %RH	溫度 Temperature	相對濕度 %RH
春夏季 In Spring / Summer				

秋冬季 In Fall / Winter				
-------------------------	--	--	--	--

3.5.9 請問貴單位由誰負責處理環境控制系統的問題？

Who responds to environmental control system problems?

☐ 館內人員 In-house personnel

☐ 合約廠商 Contractor

☐ 其他 Other (specify) _____

3.5.10 請問貴單位是否保存溫度與相對濕度波動的紀錄？

Are records of the variations in temperature and relative humidity kept?

☐ 是 Yes

☐ 否 No

3.5.11 請問貴單位能否配合不同類型的借展品調整溫度與相對濕度如表格所規範？Do you have the ability to adjust your temperature and relative humidity levels to meet the needs of different types of objects as the table below?

☐ 是 Yes

☐ 否 No

文物種類 Types of Objects	溫度 Temperature (°C) ⁽¹⁾	相對濕度 Relative Humidity (%) ⁽¹⁾
金屬器 Metal wares	20-24	45 or below ⁽²⁾
書畫、紙、絹、織品、竹、木、牙、角及骨等有機材質 Works of calligraphy, painting, paper, silk, textile bamboo, wood, ivory, bone, and other organic materials	19-23	50-60
漆器、墨 Lacquer wares and ink stones	19-23	55-65

⁽¹⁾溫、濕度應維持穩定以維護文物安全，故 24 小時內溫度振盪不超過 2°C，相對濕度振盪不超過 5%，30 天內溫度振盪不超過 4°C，相對濕度振盪不超過 10%；以上變動均應在表定溫、濕度範圍內。Temperature must not fluctuate more than 2°C during any given 24-hour period, and no more than 4°C within any given 30-day period. Relative humidity must not fluctuate more than 5% during any given 24-hour period, and no more than 10 % within any given 30-day period.

⁽²⁾含金屬之複合或混合材質展品得視其穩定性調整相對濕度設定。The relative humidity of composite objects depends on the mix material or metal's stability.

3.5.12 請問貴單位持有下列測量儀器的數量？且多久進行校正？

How many of each of the following do you have available and how often are they calibrated?

	持有數量 Number Available	校正頻率 Frequency of Calibration
溫濕度記錄器 Recording Hygrothermographs		
溫度計		

Psychrometers		
濕度計		
Hygrometers		

3.5.13 請問貴單位有持續性監測與記錄以下地點之溫度與相對濕度嗎？

Do you monitor and record temperature and relative humidity levels on a regular basis in:

特展展覽室 Temporary exhibition galleries?

☐ 是 Yes ☐ 否 No

特展展品暫存室 Temporary exhibition storage spaces?

☐ 是 Yes ☐ 否 No

請問貴單位之展櫃內有監測環境的儀器嗎？

Display cases containing environmentally sensitive material?

☐ 有 Yes ☐ 無 No

如果有，請問以何方式 If yes, by what means?

☐ 溫濕度記錄器 Recording hygrothermographs

☐ 其他 Other _____

請說明使用頻率 Indicate frequency :

請問由誰負責監測這些數據？Who is responsible for monitor these levels?

請問貴單位是否有能力進行展櫃內溫、濕度調控？

Do you have the ability to adjust the temperature and relative humidity levels in display cases?

☐ 是 Yes ☐ 否 No

如果是，請問以何方式？ If yes, by what means?

如果不行，是否可以配合本院進行展櫃內溫、濕度調控處理？

If not, can you cooperate with our conservators in adjusting the temperature and relative humidity levels in display cases?

☐ 是 Yes ☐ 否 No

3.5.14 請問特展展覽室內環境是如何控制的？

Are the environmental conditions in temporary exhibition galleries:

- ☐ 單獨控制 Individually controlled
☐ 中央空調 All controlled as part of the entire building or with several other rooms

3.5.15 請問特展展品暫存室環境如何控制？

Are the temporary exhibition storage areas ?

- ☐ 單獨控制 Individually controlled
☐ 中央空調 All controlled as part of the entire building or with several other rooms

3.6 照明 Lighting

3.6.1 請問貴單位特展展覽室的照明光源為：

What type of light do you utilize in the temporary exhibition galleries?

- ☐ 自然光 Daylight
☐ 窗戶 Windows
☐ 濾除紫外線 UV filtered
☐ 有遮陽板或簾幔 Equipped with shades or draped
☐ 螢光燈或日光燈 Fluorescent
☐ 濾除紫外線 UV filtered
☐ 白熾燈 Incandescent
☐ 鎢絲燈 Tungsten
☐ 碘化燈 Iodide
☐ 石英燈 Quartz
☐ 其他 Other _____
☐ 發光二極體 LED (Light-emitting diode)
是否能提供 LED 燈光譜? Can you provide the spectrum of the LED you used?
☐ 是 Yes (附於 attached_____) ☐ 否 No

3.6.2 請問貴單位有測量照度的儀器嗎? Do you have a light meter?

- ☐ 有 Yes ☐ 無 No

如果有，請問是那一種? If yes, what type?

請問貴單位是否有辦法配合借展品材質調整照度至符合以下表格規範？

Do you have the ability to adjust the level of illumination to meet the needs of different types of objects as the table below?

- ☐ 是 Yes ☐ 否 No

文 物 種 類 Types of Objects	照度 Level of
--------------------------	-------------

	Illumination (Lux)
金屬器、陶瓷器、玉器、石 Works less sensitive to light, such as metal wares, ceramics, jades, and stone objects	≤ 300 Lux
油畫 Works of medium sensitivity to light, such as oil paintings	≤ 200 Lux
漆器、竹、木、牙、角、骨及家具等有機材質 Works of lacquer, bamboo, wood, bone, ivory, horn, furniture and other organic materials	≤ 100 Lux
書畫、紙、絹、布、織品、手稿、素描及染色皮革 Works very sensitive to light, such as those of paintings, calligraphy, paper, silk, cloth, textile, manuscript, drawings, and dyed leather	≤ 50 Lux

請問貴單位有紫外線強度測量計嗎？ Do you have a UV meter?

☐ 有 Yes

☐ 無 No

請問貴單位展場燈具紫外線強度是否低於 $75 \mu\text{w/lumen}$ ？ Are the ultraviolet rays of light fixtures you used in temporary exhibition galleries below $75 \mu\text{w/lumen}$?

☐ 是 Yes

☐ 否 No

☐ 不確定 Not sure

3.6.3 請問貴單位所能調整最低之光照度？

How low can you adjust your light levels?

3.6.4 請問貴單位能否製造特殊要求配備的展示櫃？

Is your institution capable of building vitrines with special equipment upon request?

☐ 是 Yes

☐ 否 No

3.6.5 請問貴單位之展示櫃有灰塵濾網嗎？

Are display cases equipped with dust filter?

☐ 有 Yes

☐ 無 No

3.6.6 請問貴單位之展示櫃為內部光源嗎？

Are display cases ever internally lit?

☐ 是 Yes

☐ 否 No

如果是，請問使用何種燈光照明？

If yes, what type of lighting us used in the display cases?

- ☐ 螢光燈或日光燈 Fluorescent
- ☐ 白熾燈 Incandescent
- ☐ 濾除紫外線燈 UV filtered
- ☐ 光纖 Fiber optic，光源 light source _____
- ☐ 發光二極體 LED (Light-emitting diode)

是否能提供 LED 燈光譜？ Can you provide the spectrum of the LED you used?

☐ 是 Yes （附於 attached_____） ☐ 否 No

3.6.7 請問貴單位陳列於展示櫃中之文物可否免於內部光源所產生紫外線照射或熱氣嗎？ Are objects in the display cases safeguarded against ultraviolet rays and heat build-up from interior lights?

☐ 是 Yes ☐ 否 No

如果可以，請問如何做到？ If yes, how :

4. 消防設備 Fire Protection

4.1 請問貴單位建築物內是否有火災(或煙霧偵測)警報系統？

Is the entire building protected by a fire and / or smoke detection / alarm system?

☐ 是 Yes

☐ 否 No

如果有，請指出其類型 If yes, indicate type :

4.2 請問火災警報會通知貴單位哪個部門？

Who does your fire alarm system alert ?

☐ 館內中央控制室 In-house central station (proprietary system)

☐ 館內廣播裝置 In-house audible devices

☐ 其他 Other (specify) _____

4.3 請說明借展品接收、暫存、展示區域內的滅火系統：

Indicate the type(s) of fire suppression system(s) in operation where loaned object(s) will be received, stored, and exhibited :

A. 消防灑水系統 Sprinklers

	接收區 Received Area	特展展品暫存室 Temporary exhibition storage	特展展覽室 Temporary exhibition galleries
濕管 Wet pipe			
乾管 Dry pipe			
延遲動作 Delayed action			
預先動作 Pre-action			
其他 Other			

位置 Location(s) _____

裝設年份 Year installed _____

是否曾訓練館員與警衛關閉消防灑水系統？

Are the staff and guards trained in shut-off procedures?

☐ 是 Yes

☐ 否 No

B. 氣體式滅火系統 Gaseous fire suppression systems :

	接收區 Received Area	特展展品暫存室 Temporary exhibition storage	特展展覽室 Temporary exhibition galleries
海龍 Halon			
二氧化碳成份為主 Clean agent			
其他 _____ Other _____			

位置 Location(s) _____

裝設年份 Year installed _____

C. 消防箱 Fire hose cabinets per local fire code :

接收區 Received Area	特展展品暫存室 Temporary exhibition storage	特展展覽室 Temporary exhibition galleries

是否有裝設水霧噴嘴？ Are fog nozzle installed？

☐ 是 Yes

☐ 否 No

消防箱每隔多久進行定期檢查？ How often do you inspect the fire hose cabinets？

D. 手提式滅火器 Portable fire extinguishers :

	接收區 Received Area	特展展品暫存室 Temporary exhibition storage	特展展覽室 Temporary exhibition galleries
強力水柱 Pressurized water			
二氧化碳 Carbon dioxide			
乾粉 Dry Chemical			
泡沫 Foam			
海龍 Halon			

其他 Other _____			
-------------------	--	--	--

手提式滅火器每隔多久進行定期檢查？ How often do you inspect the portable fire extinguishers ? _____

4.4 請問貴單位建築物內可吸煙嗎？ Is smoking allowed in your buildings?

☐ 是 Yes ☐ 否 No

如果是，請說明在什麼地點，並有什麼條件？

If yes, where and under which conditions?

4.5 與最近的消防局距離為？ How far is the nearest fire department?

消防局接獲火災通報需花費多少時間到達？

How long would it take for the fire department to arrive after getting the fire notification?

5. 安全 Security

5.1 請問貴單位有 24 小時的安全警衛人員嗎（相對於電子式之保全系統）？

Do you have 24-hour human guard security (as opposed to period of electronic-only surveillance)

☐ 有 Yes

☐ 無 No

如果沒有，請問貴單位願意配合需要增加額外的安全警衛人員嗎？

If no, would your institution be willing to hire additional guards, if required?

☐ 是 Yes

☐ 否 No

5.2 請問貴單位之安全人員以何方式任用？

What type of security personnel does your institution utilize?

☐ 單位自行聘僱安全人員 Security employee of your institution

☐ 由其他館員兼任 Other staff

☐ 以契約方式委託館外專業公司負責 Contractors form an outside service company

☐ 學生 Students

☐ 志工 Volunteers/ docents

☐ 其他 Other (specify) _____

僱用安全人員是否進行身家調查？

Do you have background checks before hiring security personnel?

☐ 是 Yes

☐ 否 No

請問貴單位之安全人員是否曾接受特殊訓練以符合業務需要？

Are your security personnel specially trained for your facility?

☐ 是 Yes

☐ 否 No

如果是，請簡單說明訓練內容及訓練時間長短 If yes, describe how and for how long?

5.3 請問貴單位是否有受過訓練且全時負責的安全主管？

Do you have a trained security supervisor in charge at all times?

☐ 有 Yes

☐ 無 No

5.4 請問貴單位安全警衛人員之配備：

Are your guards :

☐ 配備武器 Armed

☐ 配備無線電 Radio-equipped

☐ 配備傳呼機 Pager-equipped

☐ 配備電話 Phone-equipped

☐ 其他 Other (specify) _____

5.5 請問下列狀況之安全警衛人數：

Please describe the staffing in the conditions below:

安全警衛人數 No. of guards	全院區 whole area		特展展覽室 Temporary exhibition galleries	
	駐衛 resident guard	巡邏 patrol guard	駐衛 resident guard	巡邏 patrol guard
正館營運時間 opening time				
非開放民眾時間(開放員工) non opening time (staff only)				
閉館時間 closed time				

5.6 每名警衛會分配幾間展覽室？ How many exhibited rooms would be assigned for each guard? _____

請問貴單位在佈、撤展時，是否會指派安全警衛人員在現場？

Is a guard assigned during installation and deinstallation?

☐ 會 Yes ☐ 不會 No

如果不會，請問會視需要加派嗎？

If no, can on be, if required?

☐ 會 Yes ☐ 不會 No

請問當佈、撤展時貴單位如何管制人員出入？

How is access restricted during installation and deinstalltion of temporary exhibitions?

5.7 請問貴單位特展展覽室內之借展品多久檢查一次？

How often are "checklist" checks made of the objects in temporary exhibition gallery?

請問由誰負責檢查？ By whom?

5.8 當特展展覽室關閉時，請問多久執行一次安全檢查？

How often are temporary exhibition galleries checked when closed?

請問由誰負責檢查？ By whom?

5.9 請問特展展覽室有 24 小時的影像紀錄嗎？

Do you make a 24 hours photographic record of objects within temporary exhibition galleries?

☐ 是 Yes ☐ 否 No

5.10 請問借展品在館內搬移的紀錄會保留嗎？

Do you maintain records on internal movement and relocation of borrowed objects?

☐ 是 Yes ☐ 否 No

5.11 開館期間是否有安全警衛人員於建築物出入口駐點站崗？

Are security guards stationed at all entrances and exits to the building during open hours?

☐ 是 Yes ☐ 否 No

如果沒有，請說明原因 If no, explain :

5.12 下列人員進入管制區時是否需配戴識別證？

Do the following persons need to wear badges when they go into the restricted areas?

正職員工 regular employee(s) ☐ 是 Yes ☐ 否 No

志工 volunteer(s) ☐ 是 Yes ☐ 否 No

訪客 guest(s) ☐ 是 Yes ☐ 否 No

訪客是否由員工(或警衛)於管制區域隨行？ Will the guest(s) be accompanied by an employee or guard when entering restricted areas?

☐ 是 Yes ☐ 否 No

5.13 有權允許任何物品移出特展展覽室之人員的職稱及階級為何？

Who (position/title) are responsible for the permission of moving out stuffs from the temporary exhibition galleries?

各種移出（入）特展展覽室之物品是否由安全警衛人員確實清點並紀錄？

Does the guard check and record every kind of stuff that is moving in or out of the temporary exhibition galleries?

☐ 是 Yes ☐ 否 No (請說明 specify_____)

5.14 請問貴單位是否針對建築物四周進行例行性巡邏？

Are exterior perimeter checks of the building carried out?

☐ 是 Yes ☐ 否 No

如果是，請問由誰執行？巡邏的頻率？If yes, by whom and how frequently?

5.15 下列物品是否於入（離）館時進行檢查？

Do you check personal belongings while people entering /exiting the temporary exhibition galleries?

遊客個人物品 personal belongings of tourists ☐ 是 Yes ☐ 否 No

員工個人物品 personal belongings of employees ☐ 是 Yes ☐ 否 No

如果皆否，請說明 If no, please specify: _____

請問貴單位是否有攜入展覽室隨身物品大小之限制？

Do you have maximum dimensions for personal belongings while entering the temporary exhibition galleries?

☐ 是 Yes ☐ 否 No

如果是，請說明限制內容：If yes, please specify _____

5.16 請問貴單位是否允許遊客於特展展覽室拍照？

Is photography allowed in your temporary exhibition galleries?

☐ 是 Yes ☐ 否 No

如果是，在什麼情況下允許拍攝？

If yes, under which conditions? _____

如果是，允許使用三角架或自拍棒之條件為何？

If yes, a tripod or selfie stick permit was given in which conditions?

5.17 請問貴單位是否有緊急應變計畫？

Do you have an emergency response plan?

☐ 是 Yes ☐ 否 No

上述計畫之最近審閱日期? Please list the date of the last revision

請問館員多久受訓一次? How frequently is the staff trained in their implementation?

請問貴單位是否有災後復原計畫?

Do you have a disaster recovery plan?

☐ 是 Yes ☐ 否 No

上述計畫之最近審閱日期? Please list the date of the last revision

請問館員多久受訓一次? How frequently is the staff trained in their implementation?

如果貴單位沒有上述兩項計畫，是否願意研商其一（或二）?

Are you willing to make plan(s) as the one (or two) mentioned above?

☐ 是 Yes ☐ 否 No

請問貴單位最近一次演練日期為 When was the date of last drill?

5.18 請問當竊盜或蓄意破壞事件發生時，貴單位之緊急應變措施為何?

What emergency procedures are observed in the case of theft or vandalism?

5.19 請問貴單位是否有全館性的電子式安全警報系統?

Do you have an electronic security alarm system in operation throughout the building?

☐ 是 Yes ☐ 否 No

如果該系統未涵蓋全館，請說明未被涵蓋區域：

If no, specify which areas are not protected :

5.20 請問貴單位使用下列何種安全偵測器材?

What types of detection equipment are in operation:

- ☐ 磁簧 Magnetic contacts
- ☐ 電子光束 Photo electric beams
- ☐ 超音波感知器 Ultrasonic motion detectors

- ☐ 感音器 Sonic sensors
- ☐ 玻璃碎裂感知器 Break glass sensors
- ☐ 微波動作感知器 Microwave motion detectors
- ☐ 被動式紅外線感知器 Passive infrared motion detectors
- ☐ 壓力偵測器 Pressure mats on switches
- ☐ 閉路電視 Closed circuit TV (請說明影片保存期限：retention time _____)
- ☐ 水感知器 Water detection devices
- ☐ 其他 Other (specify) _____

5.21 請問貴單位之安全偵測器警報通知以下哪個單位？

Where does your detection system sound an alarm?

- ☐ 中央控制室 Proprietary central station
- ☐ 區域性警報 Local audible alarms
- ☐ 當地警察-專線 Local police – direct line
- ☐ 其他 Other (specify) _____

5.22 請問特展展覽室所在建築物之大門及側門是否設置鐵門、鐵捲門或配備具充分偵測及警報系統之其他門？

Are all entrances and exits equipped with metal or roller shutter doors, or adequate detection and alarm systems?

請問特展展覽室是否可由外部通道直接進入（亦即特展展覽室是否有可以直接進出建築物之出入口）？

Do exterior doors open directly into the temporary exhibition galleries?

- ☐ 有 Yes ☐ 無 No

如果是，請說明其管制通行/警報機制

If yes, indicate limit access/alarm mechanism :

5.23 請問特展展覽室內設有窗戶嗎？

Are there windows in the temporary exhibition galleries?

- ☐ 有 Yes ☐ 無 No

如果有，請問使用何種安全機制防護？

If yes, what type of physical protects them?

5.24 請問貴單位如何保護脆弱、小型、極度珍貴之借展品？

How are fragile, small or extremely valuable objects protected?

- ☐ 壓克力櫥窗 Acrylic vitrines
- ☐ 玻璃櫥窗 Glass vitrines
- ☐ 牆或永久性的展示櫃 Wall / permanent cases
- ☐ 獨立櫃（請說明其結構） Free-standing cases (specify construction) _____
- ☐ 鑰匙櫃 Locked cases
- ☐ 螺絲外露的展示櫃 Cases secured with exposed screws
- ☐ 螺絲隱藏的展示櫃 Cases secured with covered screws
- ☐ 附有安全螺絲的展示櫃 Cases secured with security screws
- ☐ 邊緣縫隙密封的展示櫃 Cases with sealed seams
- ☐ 附有警報的展示櫃（請說明其類型） Alarmed cases (specify type) _____
- ☐ 其他 Other (specify) _____

請問貴單位是否願意配合特展租借或建置上述任一安全展示櫃？

If one of the above, is your museum willing to borrow or construct secure cases?

- ☐ 是 Yes ☐ 否 No

展櫃玻璃需為 10mm（含）以上之防爆安全玻璃或相當強度材質，並需設置碎音偵測器。Glass break detectors on all glasses (or materials with equivalent strength), which must be ≥ 10 mm at the minimum and be explosion-proof, used for the display cases.

- ☐ 是 Yes ☐ 否 No

若為否，請說明 if no, please specify _____

5.25 請問小型壁掛式借展品如何與牆面固定以防止竊盜發生？

How are small wall-mounted object affixed to the wall to deter theft?

5.26 請問貴單位使用何種設施懸掛大型裝框之借展品？

What hardware is used to hang large, framed works?

5.27 請問貴單位是否願意配合特展為裱框之借展品單獨裝設警鈴？

Can framed objects be individually alarmed, if required?

☐ 是 Yes

☐ 否 No

5.28 請說明貴單位預防觀眾碰觸大型借展品之方法：

Indicate methods utilize to deter public access to large exposed objects :

6. 借展品持拿與包裝 Handling and Packing

6.1 請問貴單位是否有專人協助借展品之裝卸？

Do you have personnel available for loading and unloading?

☐ 有 Yes

☐ 無 No

6.2 請問貴單位是否有專業人員協助借展品之拆裝與包裝？

Do you have staff specially trained to pack and unpack objects?

☐ 有 Yes

☐ 無 No

6.3 請問借出與借入的展品是否皆有書面的狀況報告書？

Are written incoming and outgoing condition reports made on all objects?

☐ 有 Yes

☐ 無 No

如果有，請問由誰負責？ If yes, by whom?

6.4 請問館員何時佩戴手套持拿借展品？

When do staff use gloves for handling objects?

6.5 請問借展品的裱褙與裝框是由館方人員執行嗎？

Is matting and framing carried out by your staff?

☐ 是 Yes

☐ 否 No

如果不是，請敘明執行者 If no, indicate by whom :

6.6 請問貴單位有適合載運借展品的廂型車或貨車嗎？

Does your institution have a van or truck appropriate for transporting loan objects?

☐ 有 Yes

☐ 無 No

如果有，請提供相關尺寸測量 If yes, provide dimensions of :

車門 Door：高 (H) _____ 寬 (W) _____

車內 Interior：高 (H) _____ 寬 (W) _____

天板高 (Ceiling H) _____

請問該車輛為 Is the vehicle :

☐ 氣墊式 Air-ride

- ☐ 環境控制 Climate controlled
- ☐ 配備警報系統 Equipped with an alarm system
- ☐ 配備可調式繩索 Equipped with movable straps
- ☐ 配備升降門 Equipped with lift gate

6.7 請提供貴單位合作情形良好之借展品運輸廠商名單：

For the movement of objects, which companies have given consistently good and conscientious service to you institution?

公司名稱 Company Name	連絡人 Contact Person	連絡電話 Telephone Number

7. 保險 Insurance

7.1 請問承保貴單位之保險公司？

Which company provides insurance for your institution?

7.2 請問貴單位與該保險公司合作多久了？

How long have you carried insurance with this company?

7.3 請勾選貴單位為借展品投保之保險涵蓋範圍為：

What coverage does your policy for borrowed object provide?

- ☐ 涵蓋所有博物館會發生的風險，針對一般產險排除的展覽與運輸的牆對牆保險。All-risk museum coverage, wall-to-wall (while on exhibit and in transit) , subject to the standard exclusions
- ☐ 僅涵蓋搶劫與竊盜 Coverage against burglary and theft
- ☐ 僅涵蓋火災 Coverage against fire
- ☐ 僅涵蓋水災或水損 Coverage against rising water and eater damage
- ☐ 僅涵蓋自然災害（例如地震）Coverage against natural disasters (i.e., earthquake)
- ☐ 僅涵蓋無故消失 Coverage against mysterious disappearance
- ☐ 僅涵蓋僱員偷竊 Coverage against employee dishonesty

7.4 請問貴單位有哪些影響借展之非一般性除外條款？

What are the applicable non-standard exclusions of your policy affecting loans?

7.5 借展品之保險是否有自付額限制？

What are the deductible limits of coverage for borrowed objects?

7.6 請問貴單位過去 3 年是否曾經發生過超過美金 5 千元以上之損失，包括典藏品、借出品或借入品？Have there been any individual damages or losses over US\$5000 to permanent, loaned or borrowed collections incurred during the last three years?

- ☐ 是 Yes ☐ 否 No

如果有，無論有否發生法律訴訟或代位求償決定災害權責，請說明損失的時間、狀況、原因、損失範圍？If yes, state the date of damage or loss, circumstances and cause, extent of the damage or loss, whether there was litigation or subrogation to determine blame

or negligence.

8. 授權證明 Verification and Responsibility

本報告為貴單位之硬體設施、安全系統、以及借展品維護措施提供完整資訊，請貴單位授權填寫本報告之人員於下方欄位簽章。

The undersigned is a legally authorized agent for the subject institution and has completed this report.

The information indicated provides a complete and valid representation of the facility, security systems and care provided to object (both owned and borrowed)

填表人姓名 Typed Name _____

簽章 Signature _____

職稱 Title _____

日期 Date _____

請貴單位主管於下方欄位簽章並標註日期，證明本文件已經過貴單位之審查，且所提供之資訊皆為正確且最新版本。

Please sign and date below to indicate the information provided in this document has been reviewed for accuracy and has been updated where necessary when it is reissued.

主管簽章 Signature	職稱 Title	日期 Date
----------------	----------	---------

主管簽章 Signature	職稱 Title	日期 Date
----------------	----------	---------

主管簽章 Signature	職稱 Title	日期 Date
----------------	----------	---------

首長簽章 Signature	職稱 Title	日期 Date
----------------	----------	---------

國立故宮博物院文物展覽保存維護要點

98年4月15日第6次院務會議通過

101年4月12日台博登字第1010003960號函修正

105年10月7日台博登字第1050010951號函修正

一、國立故宮博物院（以下簡稱本院）為確保文物展覽期間環境之穩定與安全，以落實文物保存維護，特訂定本要點。

二、溫度及相對濕度規範

本院各類文物保存以溫濕度穩定為原則；展櫃內建議保存溫度、相對濕度適宜範圍如附表一；展場空調設定值得配合展覽需求調整。

不同相對濕度標準需求文物以不置於同一展櫃為原則；如同一展櫃內有不同相對濕度需求文物，以材質敏感性最高之文物為主要考量。

展櫃放置調濕劑或乾燥劑時，應先與保存人員討論，依實際需求預留處理空間（抽屜式或墩座內）；或於展櫃下（或後）預留空間及電源，以便於安置控濕機進行微環境控制。

三、文物照明規範

本院各類文物展覽建議照度如附表二。

同一展櫃內有不同照度需求之相鄰文物時，以其中對光較敏感文物之照度為原則。

文物所在展場環境一律使用低紫外線燈具，紫外線強度須低於 $75\mu\text{w/lumen}$ 。

用於有機材質之 LED 燈以低色溫為佳，藍光比例應低於15%，且波峰不高於全光譜最高波峰之1/2。

燈具若設計於櫃內，須與文物區隔，且須散熱良好，維修容易，裝設穩固，其使用之安定器應為電子式高功率防災型。

四、展場裝修規範如下：

- （一）展場裝修用料不含鉛、氯、硫、石棉、甲苯、二甲苯等揮發性有機溶劑及重金屬等有害物質，施作廠商須檢具材質證明或相關檢測證明，於裝修前送本院審核。
- （二）展櫃內與藏品直接接觸之材料不得有汙染文物之虞。
- （三）展場裝修用料相同批號之樣本應於使用前二週與「用材釋酸性檢測申請表」，一同送交本院保存人員測試，確認符合要求後方得使用。
- （四）展場裝潢材、展櫃櫃體、櫃內使用檯座如使用木料，含甲醛濃度不超過 CNS F1 等級，並檢附證明於裝修前送本院審核。
- （五）展櫃內濕度來源包括木料及裱布黏著劑等，均須經過乾燥處理至含水率 $\leq 11\%$ 方得使用。

五、有害生物防除規範如下：

- (一) 配合展覽所需使用之自然材料(如：木材、竹、葉、穀類、砂土、貝殼等)，應先施以除蟲、乾燥處理，經本院保存人員檢視後使用；除蟲方式以冷凍或加熱處理為優先考量。
- (二) 裝潢使用之木料應於每次使用前經行政院農業委員會動植物防疫檢疫局核可之加熱處理廠將木料中心溫度加熱達60℃後持續處理三小時，出具加熱證明及加熱曲線圖，經本院保存人員查驗原木料、木作(含半成品)後使用。
- (三) 展場施工期間，施工單位須切實做到隨時除塵、清潔與衛生之管理，並由監工單位查核及拍照，以為查驗證明。本院得不定時查核，如有違者，依約議處。
- (四) 展場施工完成前，須進行環境消毒，隔日方得進行佈展，事前應將施作計畫書送本院審核。作業中，由監工單位查核拍照，以為查驗證明。
- (五) 須依照本院核可之環境消毒施作計畫書，確實進行全展區之低毒性環境消毒。
- (六) 展場及租用辦公區域內不得飲食，本院得不定時查核，如有違者，依規定議處。

前項第四款環境消毒施作計畫書須檢附如下文件：

- (一) 行政院環境保護署核可之環境用藥許可證影本。
- (二) 行政院環境保護署核發之病媒防治業許可執照及病媒防治業專業技術人員、施藥人員證書影本。

六、文物借展安全設施基本規範如下：

- (一) 展場主體防護：
 - 1. 進出建築物之大門及所有側門均需設置鐵門或鐵捲門或配備具充分偵測及警報系統之其他門。
 - 2. 需有安全警衛防護，並協調當地警局做好安全防護計劃。
- (二) 防盜保全系統，需含以下之設備：
 - 1. 閉路監視攝錄影(CCTV)系統：需24 小時錄影。
 - 2. 紅外線盜警偵測器。
 - 3. 所有窗戶均需設置防盜設備，且進入展間之大門需設有門磁開關。
 - 4. 展櫃玻璃需為10mm(含)以上之防爆安全玻璃或相當強度材質，並需設置碎音偵測器。
- (三) 消防、火警設備：
 - 1. 需含有煙霧偵測器、消防栓、自動灑水設備、ABC 乾粉滅火器及排煙系統。
 - 2. 以上系統均需測試，並經消防機關確認後，檢附檢查合格証明。
- (四) 成立24 小時之監控中心，火警、盜警與閉路監視設備均需移報至監控中心，且24 小時有專人監控。

附表一

文 物 種 類	溫 度	相對濕度
金屬器	20~24℃ ⁽¹⁾	45%以下 ⁽¹⁾⁽²⁾
書畫、紙、絹、織品、竹、木、牙、角及骨等有機材質	19~23℃ ⁽¹⁾	50~60% ⁽¹⁾
漆器、墨	19~23℃ ⁽¹⁾	55~65% ⁽¹⁾

(1)溫、濕度應維持穩定以維護文物安全，故24小時內溫度振盪不超過2℃，相對濕度振盪不超過5%，30天內溫度振盪不超過4℃，相對濕度振盪不超過10%；以上變動均應在表定溫、濕度範圍內。

(2)含金屬之複合或混合材質展品得視其穩定性調整相對濕度設定。

附表二

文 物 種 類	照 度
金屬器、陶瓷器、玉器、石	不高於300 Lux
油畫	不高於200 Lux
漆器、竹、木、牙、角、骨及家具等有機材質	不高於100 Lux
書畫、紙、絹、布、織品、手稿、素描及染色皮革	不高於50 Lux